ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 614–615 (2000) 323–324

Journal of Organometallic Chemistry

Author Index of Volumes 614–615

Adams, R.D., 75
Akhter, Z., 231
Aldridge, S., 188
Allis, D.G., 309
Attwood, M.D., 144

Bae, J.-Y., 83
Bao, W., 255
Barton, L., 215, 223
Bauer, C., 215
Bould, J., 223
Bown, M., 269
Braddock-Wilking, J., 223
Braunschweig, H., 18
Bregadze, V.I., 27
Bunz, U., 75

Calder, R.J., 188
Camacho-Camacho, C., 283
Captain, B., 75
Carroll, P.J., 125
Chen, T., 99
Chen, Z.-N., 131
Chisholm, M.H., 238
Chiu, K.-y., 107
Chung, J.-H., 83
Clegg, W., 57
Click, D.R., 238
Colling, M., 18
Comte, V., 131
Contreras, R., 283
Cooke, P.A., 57
Cunningham, M.H., 188

Darensbourg, D.J., 305
Das, B.C., 255
Das, S., 255
Demartin, F., 294
Demonceau, A., 48
Dörfler, U., 215
Draper, S.M., 202
Duesler, E.N., 99

Edwards, A., 120
Ellis, D.D., 208

Fang, H., 223
Fehlner, T.P., 92
Femoni, C., 294
Field, L.D., 195
Flay, M.-L., 131
Flores, M.A., 48
Fontaine, X.L.R., 269
Fox, M.A., 262
Franken, A., 208
Fu, W., 75

Gabel, D., 215
Gallagher, J.F., 231
Garrioch, R.M., 153
Gashti, A.N., 120
Gebert, S., 158
Ghosh, S., 92
Greatrex, R., 61, 144, 262
Greenwood, N.N., 144
Grüner, B., 269
Güizado-Rodríguez, M., 283
Guzman-Jimenez, I.Y., 243

Hattersley, A.D., 202
Hiscox, W.C., 314
Hofmann, M., 262
Holub, J., 57
Hosmane, N.S., 10
Housecroft, C.E., 202
Huffman, J.C., 120, 238

Iapalucci, M.C., 294

Jímenez-Pérez, V.M., 283

Kabalka, G.W., 255
Kadlecek, D.E., 125
Kahlal, S., 243
Kang, S.O., 83
Kang, Y.S., 83
Karty, J.A., 120
Kennedy, J.D., 57, 61, 215, 269
Kim, H.S., 83
Kim, S.-J., 83
Knizek, J., 168
Ko, J., 83

Lee, H.-S., 83
Lewis, J., 231
Li, G., 255
Lombardi, A., 294
Londesborough, M.G.S., 57
Longoni, G., 294

Maguire, J.A., 10
Mahon, M.F., 113
Makropoulos, N., 70
Mak, T.C.W., 107
Malik, K.M.A., 188
Marin, C., 294
Marx, T., 137
Matteson, D.S., 314
McGrath, T.D., 208
Müller, T., 125

Norton, D.M., 318
Nöth, H., 70, 99, 168, 283
Núñez, R., 48

O'Dowd, C., 57
Olah, G.A., 195
Ormsby, D.L., 61

Paine, R.T., 99
Parry, R.W., 5
Piotrowski, H., 70
Potter, C.D., 144
Pritzkow, H., 158

Raithby, P.R., 231
Rasul, G., 195
Rath, N.P., 215
Reilly, J.P., 120
Rheingold, A.L., 202
Rosair, G.M., 153

Saillard, J.-Y., 243
Shang, M., 92
Shields, G.P., 231
Shriver, D.F., 318
Siebert, W., 125
Siedle, A.R., 120
Sivaev, I.B., 27
Sneddon, L.G., 125
Spencer, J.T., 309
Srivastava, R.R., 255
Štíbr, B., 57, 61, 269
Steed, J.W., 113, 188
Steffen, W., 75
Stone, F.G.A., 208
Surya Prakash, G.K., 195
Svensson, P.H., 294
Szekeley, G., 120

Teat, S.J., 57
Teixidor, F., 48
Teo, B.K., 66
Thornton-Pett, M., 57, 269
Tjarks, W., 37
Todd, L.J., 120

Vahrenkamp, H., 131
Viñas, C., 48
von Ragué Schleyer, P., 262

Wadepohl, H., 158
Warchhold, M., 70

PII: S0022-328X(00)00804-4

Welch, A.J., 153
Weller, A.S., 113
Wesemann, L., 137
Westerhausen, M., 70
Whitmire, K.H., 243
Williams, R.E., 195

Xie, Z., 107

Yarbrough, J.C., 305

Zhang, H., 66
Zhang, Z., 107

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 614–615 (2000) 325–330

Journal of Organometallic Chemistry

Subject Index of Volumes 614–615

Alkyne
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, 75
Amino acid
Synthesis of a water soluble boron neutron capture therapy agent: 1-amino-3-[2-(7-{3-[2-(2-hydroxymethyl-ethoxy)-1-(2-hydroxy-1-hydroxymethyl-ethoxymethyl)ethoxy]propyl}-1,7-di-carba-*closo*-dodecaboran-1-yl)ethyl]cyclobutanecarboxylic acid, 255
Aminoborylphosphanes
Synthesis and coordination behavior of a zirconocene bis-(borylphosphane), 99
Arene ligands
Transformation of cyclohexadiene on an Fe_3P frame: cluster complexes with hexadiene, cyclohexadiene and arene ligands, 158
Arsenic
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, 70
Asymmetric
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, 314
Azaborane
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, 215

B-frame bimetallics
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
Bi-functional
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, 188
Binary boranes
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, 144
Bis-(3,5-di-*tert*-butyl-2-phenol)oxamide
New hexacyclic binuclear tin complexes derived from bis-(3,5-di-*tert*-butyl-2-phenol)oxamide, 283
Bis-(3-phenylpyrazolyl)dihydroborate
Synthesis and crystal structure of $[H_2B(3\text{-}Phpz)_2]_2Zn$, 305
BNCT
Synthesis of a water soluble boron neutron capture therapy agent: 1-amino-3-[2-(7-{3-[2-(2-hydroxymethyl-ethoxy)-1-(2-hydroxy-1-hydroxymethyl-ethoxymethyl)ethoxy]propyl}-1,7-di-carba-*closo*-dodecaboran-1-yl)ethyl]cyclobutanecarboxylic acid, 255
^{11}B-NMR
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, 195
^{11}B nuclear shielding
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, 61
Borane cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
Boranes
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, 61
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, 188
Synthesis and characterization of μ,μ'-$M(B_5H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), 223
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, 215
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, 37
Boron
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12}BH)_2Ag]$, 202
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$, $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, 92
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, 188
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11})_2^{-1}$] ion, 120
Platinum complexes of stanna-*closo*-dodecaborate, 137
The chemistry of bridged borylene complexes, 18
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, 37
Boron clusters
Polyhedral-based nonlinear optical materials: Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, 309
Boron hydrides
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5
Boronic ester
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, 314
Borylene complexes
The chemistry of bridged borylene complexes, 18
Bridge bonds
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5

PII: S0022-328X(00)00805-6

Cage compounds
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, 70
Carbametallaborane
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, 153
Carbathiaborane cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
Carbonyl
Monocarbollide complexes of osmium: X-ray crystal structure of [$Os(CO)_3${η^5-5-(NMe_3)-7-$CB_{10}H_{10}$}], 208
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, 294
Carbonyl cluster
Reactivity of the mixed-metal cluster [$Os_6(CO)_{17}(Au_2dppm)$] towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), 231
Carborane cation
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, 195
Carboranes
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, 48
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11})_2^{-1}$] ion, 120
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5-1,3-diborolyl)-rhodiumcarbaboranyl] complexes, 125
Monocarbollide complexes of osmium: X-ray crystal structure of [$Os(CO)_3${η^5-5-(NMe_3)-7-$CB_{10}H_{10}$}], 208
Polyhedral-based nonlinear optical materials: Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, 309
Rhodium cyclooctadiene complexes of the weakly co-ordinating carborane anion [*closo*-$CB_{11}H_{12}]^-$. Isolation and crystal structures of [(COD)Rh(η^2-$CB_{11}H_{12}$)] and [(COD)Rh-$(THF)_2$][$CB_{11}H_{12}$], 113
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of [$LnCl_2(THF)_5$][*nido*-$C_2B_9H_{12}$] (Ln = Y, Yb), 107
Synthesis of a water soluble boron neutron capture therapy agent: 1-amino-3-[2-(7-{3-[2-(2-hydroxymethyl-ethoxy)-1-(2-hydroxy-1-hydroxymethyl-ethoxymethyl)ethoxy]propyl}-1,7-di-carba-*closo*-dodecaboran-1-yl)ethyl]cyclobutanecarboxylic acid, 255
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, 37
Catalysis
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, 48
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, 75
Catalyst precursor
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, 83
C_2B_4-cage
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, 10
Chelate
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, 83
Chemical shifts
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, 195
Chromium
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$, $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, 92
Closo
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, 153
closo-Dicarbaheptaboranes
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, 262
Cluster
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$, $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, 92
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, 75
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, 294
Platinum complexes of stanna-*closo*-dodecaborate, 137
Cluster clathrate
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar [AgI_3] units, 66
Cluster complexes
Transformation of cyclohexadiene on an Fe_3P frame: cluster complexes with hexadiene, cyclohexadiene and arene ligands, 158
Cluster fusion
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12}BH)_2Ag]$, 202
Cobalt bis(dicarbollide) anion
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11})_2^{-1}$] ion, 120
Composite cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
Copper
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12}BH)_2Ag]$, 202

Covalent product
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5
Crystallographic characterisation
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, 153
Crystal structure
Monocarbollide complexes of osmium: X-ray crystal structure of $[Os(CO)_3\{\eta^5\text{-}5\text{-}(NMe_3)\text{-}7\text{-}CB_{10}H_{10}\}]$, 208
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, 215
Cyanide bridging
Oligonuclear cyanide complexes from silver containing building blocks, 131
Cyclohexadiene
Transformation of cyclohexadiene on an Fe_3P frame: cluster complexes with hexadiene, cyclohexadiene and arene ligands, 158
Cyclopentadienyl compounds
Polyhedral-based nonlinear optical materials: Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, 309
Cyclopropanation
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, 48

DFT/GIAO structural/NMR calculations
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, 61
Diagmagnetic
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, 243
Diboroles
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5-1,3-diborolyl) rhodiumcarbaboranyl] complexes, 125
Dielectric constant
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5
Dihydridoborates
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, 168

Electrochemistry
Oligonuclear cyanide complexes from silver containing building blocks, 131
Eleven-vertex polyhedral
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the [*nido*-6,9-$C_2B_8H_{10}]^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of [5-Br-1-(η^6-C_6Me_6)-1,2,4-$RuC_2B_8H_9$] and [2-Me-1-(η^5-C_5Me_5)-1,2,3-$RhC_2B_8H_9$], 269
Energetics
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, 195

Ferracarboranes
Chemistry of nickel and iron bis(dicarbollides). A review, 27
Fluorination
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11})_2^{-1}$] ion, 120

GIAO structural/NMR calculations
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, 262
Gold
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), 231
Group 12 metals
Synthesis and characterization of μ,μ′-$M(B_5H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), 223

Heteronuclear clusters
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar [AgI_3] units, 66
Hexaborane(10)
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, 144
Hexacyclic binuclear tin complexes
New hexacyclic binuclear tin complexes derived from bis-(3,5-di-*tert*-butyl-2-phenol)oxamide, 283
History of carboranes
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, 10
Hydridoborates and hydridoborato metallates
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, 168
Hydrogenation
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, 48
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, 83
Hydrosilylation
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, 75
Hypho cluster
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, 215

Icosahedron
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar [AgI_3] units, 66
Inter nuclear separation
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, 243
Ionic coupling
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), 231
Ionic product
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5

Iridium
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, 83
Iron
The chemistry of bridged borylene complexes, 18
Iron lone pair
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, 243
Isomerization
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, 48
Isonido geometry
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the [*nido*-6,9-$C_2B_8H_{10}$]$^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of [5-Br-1-(η^6-C_6Me_6)-1,2,4-$RuC_2B_8H_9$] and [2-Me-1-(η^5-C_5Me_5)-1,2,3-$RhC_2B_8H_9$], 269

Kinetic studies
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, 144

Lanthanacarboranes
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of [$LnCl_2(THF)_5$][*nido*-$C_2B_9H_{12}$] (Ln = Y, Yb), 107
Lithium
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, 168

Magnesium
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, 70
Manganese
The chemistry of bridged borylene complexes, 18
Mechanism
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, 144
Metalations
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, 70
Metal carbonyls
Synthesis and coordination behavior of a zirconocene bis(borylphosphane), 99
Metal cluster compounds
Polycarbon linked metal cluster compounds, 318
Metallaborane
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$, $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, 92
Metallacarbathiaborane
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-$C_5Me_5)_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
Metallacarboranes
Chemistry of nickel and iron bis(dicarbollides). A review, 27
Forced *exo-nido* rhoda and ruthenacarboranes as catalyst precursors: a review, 48
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, 10
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of [$LnCl_2(THF)_5$][*nido*-$C_2B_9H_{12}$] (Ln = Y, Yb), 107
Metalladicarbaborane
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the [*nido*-6,9-$C_2B_8H_{10}$]$^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of [5-Br-1-(η^6-C_6Me_6)-1,2,4-$RuC_2B_8H_9$] and [2-Me-1-(η^5-C_5Me_5)-1,2,3-$RhC_2B_8H_9$], 269
Metalloboranes
Synthesis and characterization of μ,μ'-$M(B_5H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), 223
Metal–metal interactions
Oligonuclear cyanide complexes from silver containing building blocks, 131
Metal–metal triple bonds
Octakis(trimethylsilylmethyl)dioxotetramolybdenum. A novel tetranuclear compound with two localized metal–metal triple bonds, 238
Metal salts
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5
1-Methylpentaborane
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, 262
Mixed metal clusters
Molecular and crystal structure of an iodo-gold-silver-platinum cluster, $[(Ph_3P)_6Au_6Ag_6Pt(AgI_3)_2](THF)_2$, with a trimetallic icosahedral core capped with two planar [AgI_3] units, 66
MNDO calculations
Polyhedral-based nonlinear optical materials: Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, 309
MO
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$, $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, 92
Monoheterodicarbaborane clusters
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, 61

Negatively charged monomer
Synthesis, characterization, structural and theoretical analysis of a series of electron deficient, monomeric thallium iron carbonylate isostructural and isolobal to diiron nonacarbonyl, 243
Neutron capture therapy
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, 37
Nickel
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, 294

Nickelacarboranes
Chemistry of nickel and iron bis(dicarbollides). A review, 27
nido-Dicarbahexaborane clusters
Gas-phase reactions of *nido*-1-methylpentaborane with propyne and 2-pentyne. Formation of B-alkyl *nido* and *closo* carbaboranes, 262
N ligands
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, 215
NMR
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of [2,7-(η^5-C_5Me_5)$_2$-*nido*-2,7,8,6-$Ir_2CSB_6H_8$] and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
NMR spectroscopy
Synthesis and characterization of μ,μ'-$M(B_5H_8)_2$ (M = Cd, Hg and Zn): a reassignment of the NMR spectra for 2,3-μ-metalloderivatives of pentaborane(9), 223
Synthesis of N-substituted derivatives of the *hypho*-(amine)-(amino)B_8H_{11} system, 215
Nonlinear optics
Polyhedral-based nonlinear optical materials: Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, 309
Nucleophilic substitution
Platinum complexes of stanna-*closo*-dodecaborate, 137
Nucleosides
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, 37

o-Carborane
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, 83
Octakis(trimethylsilylmethyl)dioxotetramolybdenum
Octakis(trimethylsilylmethyl)dioxotetramolybdenum. A novel tetranuclear compound with two localized metal–metal triple bonds, 238
Optical resolution of boron cluster
Eleven-vertex polyhedral metalladicarbaborane chemistry. Reactions of neutral *nido*-5,6-$C_2B_8H_{12}$ and the [*nido*-6,9-$C_2B_8H_{10}$]$^{2-}$ anion to give formally *closo* isomeric 1-(arene) and 1-(cyclopentadiene)-1,2,4- and 1,2,3-metalladicarbaundecaboranes, and some substituent chemistry. Chiral separations, and crystal and molecular structures of [5-Br-1-(η^6-C_6Me_6)-1,2,4-$RuC_2B_8H_9$] and [2-Me-1-(η^5-C_5Me_5)-1,2,3-$RhC_2B_8H_9$], 269
Organolanthanides
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of [$LnCl_2(THF)_5$][*nido*-$C_2B_9H_{12}$] (Ln = Y, Yb), 107
Osmium
Monocarbollide complexes of osmium: X-ray crystal structure of [$Os(CO)_3${η^5-5-(NMe_3)-7-$CB_{10}H_{10}$}], 208
Reactivity of the mixed-metal cluster [$Os_6(CO)_{17}(Au_2dppm)$] towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), 231
Oxo bridges: Mo–Mo
Octakis(trimethylsilylmethyl)dioxotetramolybdenum. A novel tetranuclear compound with two localized metal–metal triple bonds, 238

Pentaborane
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, 10
Pheromone
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, 314
Platinum
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, 75
Platinum complexes
Platinum complexes of stanna-*closo*-dodecaborate, 137
Polyol
Synthesis of a water soluble boron neutron capture therapy agent: 1-amino-3-[2-(7-{3-[2-(2-hydroxymethyl-ethoxy)-1-(2-hydroxy-1-hydroxymethyl-ethoxymethyl)ethoxy]propyl}-1,7-di-carba-*closo*-dodecaboran-1-yl)ethyl]cyclobutane-carboxylic acid, 255
Potassium
Hydridoborates and hydridoborato metallates: Part 26. Preparation and structures of dihydridoborates of lithium and potassium, 168
Propargylborane
Asymmetric synthesis of the Japanese beetle pheromone via boronic esters, 314
Pseudocloso
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, 153

Rational drug design
The use of boron clusters in the rational design of boronated nucleosides for neutron capture therapy of cancer, 37
Rhenium
Comparison of the geometric and molecular orbital structures of $(Cp^*Cr)_2B_4H_8$ and $(Cp^*Re)_2B_4H_8$, $Cp^* = \eta^5$-C_5Me_5. Structural consequences of delocalized electronic unsaturation in a metallaborane cluster, 92
Rhodium
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5-1,3-diborolyl) rhodiumcarbaboranyl] complexes, 125
New Group 9 metal complexes containing *N,P*-chelate ligand system. Synthesis, characterization and application to catalytic hydrogenation, 83
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, 294
Rhodium cyclooctadiene complexes of the weakly co-ordinating carborane anion [*closo*-$CB_{11}H_{12}$]$^-$. Isolation and crystal structures of [(COD)Rh(η^2-$CB_{11}H_{12}$)] and [(COD)-$Rh(THF)_2$][$CB_{11}H_{12}$], 113
Rotamers
Bond rotamers and calculated ^{11}B-NMR chemical shifts in boron-containing cluster chemistry. Some effects in the {*nido*-7,8,10-PC_2B_8} system, 61
Ruthenium
Boride cluster fusion through copper and silver. Crystal structure of [$(Ph_3P)_2N$][$(HRu_4(CO)_{12}BH)_2Ag$], 202
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η^5-pentamethylcyclopentdienyl)ruthenium(μ,η^5-1,3-diborolyl) rhodiumcarbaboranyl] complexes, 125
Monocarbollide complexes of osmium: X-ray crystal structure of [$Os(CO)_3${η^5-5-(NMe_3)-7-$CB_{10}H_{10}$}], 208
New alkyne bridged mixed-metal clusters and studies of their activity for catalytic hydrosilylation of alkynes, 75

Sandwich complexes
Chemistry of nickel and iron bis(dicarbollides). A review, 27
Sandwich compounds
Fluorination studies of the [commo-3,3′-Co(3,1,2-$CoC_2B_9H_{11})_2^{-1}$] ion, 120
Synthesis and characterization of half- and full-sandwich lanthanacarboranes of the C_2B_9-carborane ligand. X-ray crystal structures of $[LnCl_2(THF)_5][nido\text{-}C_2B_9H_{12}]$ (Ln = Y, Yb), 107
Semipseudocloso
Closo and semipseudocloso forms of the same carbametallaborane: synthesis and spectroscopic and crystallographic characterisation of 1-CCPh-2-Ph-3-(η-L)-3,1,2-$RhC_2B_9H_9$ (L = C_5H_5 and C_5Me_5): Part 25. Steric effects in heteroboranes, 153
Silver
Boride cluster fusion through copper and silver. Crystal structure of $[(Ph_3P)_2N][(HRu_4(CO)_{12}BH)_2Ag]$, 202
Small cage carborane
Is there a future for the continued development of the chemistry of small cage C_2B_4-carborane? A historical perspective, 10
Structure
Oligonuclear cyanide complexes from silver containing building blocks, 131
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, 195
Symmetrical cleavage
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5
Synchrotron
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57

Tetrasubstituted benzene
Convenient syntheses, spectroscopic and structural characterisation of bi-functional boranes, 188
Theoretical calculations
Structures of carborane cations derived from the reaction of 2-propyl cation with diborane: DFT/IGLO/GIAO-MP2/NMR investigations of alkylborane and alkylcarborane patterns, 195
Thermolysis
Kinetic studies of reactions of hexaborane(10) with other binary boranes in the gas phase, 144
Thiaborane cluster
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
Tin
Homoleptic triisopropylsilylarsandiides of magnesium and divalent tin, 70
Platinum complexes of stanna-*closo*-dodecaborate, 137
Trinuclear complexes
Oligonuclear cyanide complexes from silver containing building blocks, 131
Triple-decker complexes
Hybrid diborolyl/carbaboranyl triple-decker compounds: [(η⁵-pentamethylcyclopentdienyl)ruthenium(μ,η⁵-1,3-diborolyl) rhodiumcarbaboranyl] complexes, 125
Tropilium compounds
Polyhedral-based nonlinear optical materials: Part 1. Theoretical investigation of some new high nonlinear optical response compounds involving carboranes and charged aromatic donors and acceptors, 309

Unsymmetrical cleavage
Symmetric and asymmetric cleavage of the lighter boron hydrides and of metal salts – the role of the dielectric constant, 5

Weakly co-ordinating
Rhodium cyclooctadiene complexes of the weakly co-ordinating carborane anion $[closo\text{-}CB_{11}H_{12}]^-$. Isolation and crystal structures of $[(COD)Rh(\eta^2\text{-}CB_{11}H_{12})]$ and $[(COD)Rh(THF)_2][CB_{11}H_{12}]$, 113

X-ray
B-frame supported bimetallics. 'Composite cluster' compounds and the structures of $[2,7\text{-}(\eta^5\text{-}C_5Me_5)_2\text{-}nido\text{-}2,7,8,6\text{-}Ir_2CSB_6H_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies, 57
X-ray structure
New Ni–Rh carbonyl clusters with unprecedented structural and electronic features: synthesis and X-ray structure of $[NEt_4]_3[Ni_{10}Rh(CO)_{19}]\cdot C_2H_5CN$, $[NMe_3CH_2Ph]_3[Ni_6Rh_3(CO)_{17}]$ and $[NEt_4]_3[Ni_9Rh_3(CO)_{22}]$, 294
Reactivity of the mixed-metal cluster $[Os_6(CO)_{17}(Au_2dppm)]$ towards gold electrophiles (dppm = $Ph_2PCH_2PPh_2$), 231
Synthesis and crystal structure of $[H_2B(3\text{-}Phpz)_2]_2Zn$, 305

Zinc
Synthesis and crystal structure of $[H_2B(3\text{-}Phpz)_2]_2Zn$, 305
Zirconocene
Synthesis and coordination behavior of a zirconocene bis(borylphosphane), 99